
Spring Creek Ranch Oklahoma, 905 AC +/-









Pond / Tank Doundary



| Boundary 903.3 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CAP
DuB	Durant loam, 1 to 3 percent slopes	53.4	5.91	2e
Po	Verdigris silty clay loam, 0 to 1 percent slopes, occasionally flooded	33.5	3.71	2w
TrE	Shidler-Rock outcrop complex, 5 to 30 percent slopes	65.8	7.28	7e
HeC	Heiden clay, 3 to 5 percent slopes	46.3	5.13	3e
CIC	Claremore loam, 3 to 5 percent slopes	87.7	9.7	4e
DvC3	Durant and Bates soils, 3 to 5 percent slopes, severely eroded	39.0	4.31	6e
Pr	Verdigris and Cleora soils, 0 to 3 percent slopes, frequently flooded	161.1	17.84	5w
BuB	Burleson clay, 1 to 3 percent slopes	50.3	5.57	3e
DeB	Dennis loam, 1 to 3 percent slopes	9.9	1.09	2e
HeD	Heiden clay, 5 to 12 percent slopes	99.1	10.97	6e
PcE	Travertine channery silt loam, 3 to 15 percent slopes	116.0	12.84	6e
Vg	Verdigris silt loam, 0 to 1 percent slopes, occasionally flooded	12.0	1.33	2w
VaA	Vanoss silt loam, 0 to 1 percent slopes	30.9	3.42	1e
DuC	Durant loam, 3 to 5 percent slopes	22.0	2.44	3e
WhC	Newalla fine sandy loam, 1 to 5 percent slopes	27.2	3.01	3e
SvD	Stephenville-Darnell complex, 3 to 8 percent slopes	49.1	5.44	4e
TOTALS		903.3	100%	4.45

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- $\left(s\right)$ soil limitations within the rooting zone $\left(w\right)$ excess of water