


THIS PLAT OF SURVEY MEETS THE
OKLAHOMA MINIMUM STANDARDS FOR
THE PRACTICE OF LAND SURVEYING
AS ADOPTED BY THE OKLAHOMA
STATE BOARD OF REGISTRATION FOR
PROFESSIONAL ENGINEERS AND LAND
SURVEYORS.

SURVEY PLAT




EASEMENTS

THE EASEMENT FILED IN BOOK 410 AT PAGE 151
AND BOOK 919 AT PAGE 798 ARE BLANKET
EASEMENTS COVERING THE SUBJECT PROPERTY.

- Ⓐ DENOTES SET MAG NAIL W/SHINER
- DENOTES EXISTING FENCE CORNER
- ▣ DENOTES SET 1/2" IRON PIN W/CAP
- ◎ DENOTES FOUND IRON PIN AS NOTED

BASIS OF BEARINGS: OKLAHOMA STATE PLANE
NORTH ZONE (NAD 1983)

THE WORD CERTIFY OR CERTIFICATE AS SHOWN
AND USED HEREON MEANS AN EXPRESSION OF
PROFESSIONAL OPINION REGARDING FACTS OF THE
SURVEY AND DOES NOT CONSTITUTE A WARRANTY
OR GUARANTEE, EXPRESSED OR IMPLIED.



0 100 200 400
SCALE IN FEET


CERTIFICATE

I, Brett King, the undersigned, a Registered Professional Land Surveyor L.S. 1533, in the State of Oklahoma,
of Landmark Surveying, C.A. 4572 6-30-23, of 245 South Taylor, P.O. Box 1328, Pryor, Oklahoma
(918-825-2804) do hereby certify that a careful survey of the following described property was made
under my supervision:

The North 329.50 feet of the East Half of the Southeast Quarter of Section 2, Township 3 South, Range 12 East of the
Indian Meridian, Atoka County, Oklahoma.

Witness my hand and seal this 8th day of September, 2022.

Legal descriptions created by L.S. 1533 on September 8, 2022.



Copyright September, 2022.