

Soils Map





State: Iowa County: Hamilton Location: 33-89N-25W Township: **Webster City**

Acres: 96.69 Date: 10/29/2025







Area Symbol: IA079, Soil Area Version: 29															
Code	Soil Description	Acres	Percent of field	CSR2 Legend	Restrictive Layer	Soil Drainage	Non- Irr Class *c	*i Corn Bu	*i Alfalfa Tons	*i Soybeans Bu	*i Bluegrass Tons	*i Tall Grasses Tons	*i Water- Holding Inch	CSR2**	CSR *
828B	Zenor sandy loam, 2 to 5 percent slopes	22.71	23.7%		> 6.5ft.	Somewhat excessively drained	IIIe	80.0	2.2	23.2	1.4	2.4	4.0	52	50
385	Guckeen clay loam, 1 to 3 percent slopes	18.19	18.8%		> 6.5ft.	Somewhat poorly drained	llw							76	
52B	Bode clay loam, 2 to 6 percent slopes	16.83	17.4%		> 6.5ft.	Moderately well drained	lle	225.6	6.3	65.4	4.1	6.8	10.7	91	80
388	Kossuth silty clay loam, 0 to 2 percent slopes	10.84	11.2%		> 6.5ft.	Poorly drained	llw	224.0	4.7	65.0	4.0	6.7	11.9	72	79
355	Luther loam, 0 to 2 percent slopes	6.02	6.2%		> 6.5ft.	Somewhat poorly drained	lw	214.4	5.6	62.2	3.9	6.4	11.0	84	80
236B	Lester loam, 2 to 6 percent slopes	5.55	5.7%		> 6.5ft.	Well drained	lle	212.8	6.0	61.7	3.8	6.4	10.4	85	77



Code Soil Description 485 Spillville loam, 0 to 2 percent slopes, occasionally flooded 828C2 Zenor sandy loam, 5 to 9 percent			CSR2 Legend	Restrictive Layer > 6.5ft.	Soil Drainage Somewhat poorly drained	Non- Irr Class *c	*i Corn Bu 208.0	*i Alfalfa Tons 5.4	*i Soybeans Bu 60.3	*i Bluegrass Tons	*i Tall Grasses Tons	*i Water- Holding Inch	CSR2**	CSR *
0 to 2 percent slopes, occasionally flooded Zenor sandy loam, 5 to 9					poorly	llw	208.0	5.4	60.3	3.7	6.2	11.8	88	92
loam, 5 to 9	3.81	3.9%			l .									32
slopes, moderately eroded				> 6.5ft.	Somewhat excessively drained	IIIe	80.0	2.2	23.2	1.4	2.4	4.0	43	33
Terril loam, 2 to 6 percent slopes	3.52	3.6%		> 6.5ft.	Well drained	lle	224.0	6.3	65.0	4.0	6.7	11.4	87	82
Bode clay loam, 6 to 10 percent slopes, moderately eroded	3.12	3.2%		> 6.5ft.	Moderately well drained	lle	204.8	5.7	59.4	3.7	6.1	10.7	84	63
Storden loam, 10 to 22 percent slopes, moderately eroded	0.97	1.0%		> 6.5ft.	Well drained	IVe	116.8	3.3	33.9	2.1	3.5	11.0	32	32
Storden loam, 10 to 16 percent slopes, moderately eroded	0.86	0.9%		> 6.5ft.	Well drained	IVe	140.8	3.9	40.8	2.5	4.2	11.0	41	42
108B Wadena loam 2 to 6 percent slopes		0.1%		> 6.5ft.	Well drained	lle	80.0	2.2	23.2	1.4	2.4	5.6	52	50
Pits, sand and gravel	0.08	0.1%		> 6.5ft.			0.0	0.0	0.0	0.0	0.0	0.0	0	0
•	•	•		Weig	hted Average	*-	137.9	3.6	40	2.5	4.1	7	72.6	*-

	Symbol	Name	Description
	SAN	Sandy spot	A spot where the surface layer is loamy fine sand or coarser in areas where the surface layer of the named soils in the surrounding map unit is very fine sandy loam or finer. Typically_to_acres.
	WET	Wet spot	A somewhat poorly drained to very poorly drained area that is at least two drainage classes wetter than the named soils in the surrounding map unit. Typicallyto acres.

^{**}IA has updated the CSR values for each county to CSR2.

*- CSR weighted average cannot be calculated on the current soils data, use prior data version for csr values.*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

*- Non Irr Class weighted average cannot be calculated on the current soils data due to missing data.